

**РУЧНЫЕ РЕЗАКИ- АЦЕТИЛЕН HARRIS**

<b>Part N°</b>	<b>Описание</b>	<b>Длина</b>	<b>Толщина разр. материала</b>	<b>примечание:</b>
282	Head 90°	510 mm.	0-400 mm	
28-2L	Head 90°	675 mm.	0-400 mm	
H28	Head 90°	510 mm.	0-400 mm	
H28-L	Head 90°	675 mm.	0-400 mm	
42-4	Head 90°	430 mm.	0-200 mm	
42-4L	Head 90°	530 mm.	0-200 mm	
42-3L-835	Head 90°	835 mm.	0-200 mm	
42-3L-1000	Head 90°	1000 mm.	0-200 mm	
42-4A	Head 70°	430 mm.	0-200 mm	
42-4AL	Head 70°	530 mm.	0-200 mm	
42-4E	Head 90°	460 mm.	0-200 mm	
42-4EL	Head 90°	500 mm.	0-200 mm	
42-3AV	Head 70° handwheel valve		0-200 mm	
42-3EV	Head 90° handwheel valve		0-200 mm	
42-3EV-GB	Head 90° handwheel valve		0-200 mm	
42-3EVL	Head 90° handwheel valve		0-200 mm	
42-3V	Head 90° handwheel valve		0-200 mm	
42-3AL-835	Head 70°	835 mm.	0-200 mm	
42-3AL-1000	Head 70°	1000 mm.	0-200 mm	
62-5	Head 90°	460 mm.	0-300 mm	
62-5L	Head 90°	530 mm.	0-300 mm	
62-5L-835	Head 90°	835 mm.	0-300 mm	
62-5L-1000	Head 90°	900 mm.	0-300 mm	
62-5L-1250	Head 90°	1210 mm.	0-300 mm	
62-5L-1500	Head 90°	1500 mm.	0-300 mm	
62-5L-1500-GB	Head 90°	1500 mm.	0-300 mm	
62-5A	Head 70°	460 mm.	0-300 mm	
62-5AL	Head 70°	530 mm.	0-300 mm	
62-5A-GB	Head 70°	530 mm.	0-300 mm	
62-5AL-835	Head 70°	835 mm.	0-300 mm	
62-5AL-1000	Head 70°	900 mm.	0-300 mm	
62-5AL-1250	Head 70°	1210 mm.	0-300 mm	
62-5AL-1500	Head 70°	1500 mm.	0-300 mm	
62-5E	Head 90°	460 mm.	0-300 mm	
62-5E-GB	Head 90°	460 mm.	0-300 mm	
62-5EL	Head 90°	460 mm.	0-300 mm	

62-5EL-1000	Head 90°	900 mm.	0-300 mm	
V62-5E	Head 90°, fit Victor®	460 mm.	0-300 mm	
V62-5EL	Head 90°, fit Victor®	530 mm.	0-300 mm	
62-5AE	Head 70°	530 mm.	0-300 mm	
62-5AEL	Head 70°	530 mm.	0-300 mm	
62-5AEL-1000	Head 70°	900 mm.	0-300 mm	
V62-5AEL	Head 70°, fit Victor®	530 mm.	0-300 mm	
62-5B	Head 180°	460 mm.	0-300 mm	
62-5B-GB	Head 180°	460 mm.	0-300 mm	
62-5BL	Head 180°	530 mm.	0-300 mm	
62-5BL-835	Head 180°	835 mm.	0-300 mm	
62-5BL-1000	Head 180°	900 mm.	0-300 mm	
62-5BL-1000-GB	Head 180°	900 mm.	0-300 mm	
62-5BL-1250	Head 180°	1210 mm.	0-300 mm	
62-5BL-1500	Head 180°	1500 mm.	0-300 mm	
142	Head 90°	450 mm.	0-200 mm	
142-GB	Head 90°	460 mm.	0-200 mm	
142-L	Head 90°	530 mm.	0-200 mm	
142-A	Head 70°	450 mm.	0-200 mm	
142-E	Head 90°	460 mm.	0-200 mm	
142-EL	Head 90°	530 mm.	0-200 mm	
NM-250	Head 90°	480 mm.	0-250 mm	
NM-250-835	Head 90°	835 mm.	0-250 mm	
NM-250-1000	Head 90°	1000 mm.	0-250 mm	
NM-250-1200	Head 90°	1200 mm.	0-250 mm	
NM-250-A	Head 70°	480 mm.	0-250 mm	
NM-250-A835	Head 70°	835 mm.	0-250 mm	
NM-250A-1000	Head 70°	1000 mm.	0-250 mm	
NM-250-GB	Head 90°	480 mm.	0-250 mm	G.3/8" threads
980	Head 90°	480 mm.	0-200 mm	
980-GB	Head 90°	480 mm.	0-200 mm	G.3/8" threads
980-NM	Head 90°	480 mm.	0-200 mm	
980-NMGB	Head 90°	480 mm.	0-200 mm	G.3/8" threads
242	Head 90°	460 mm.	0-200 mm	
242-L	Head 90°	530 mm.	0-200 mm	
V242	Head 90° (fit Victor®)	460 mm.	0-200 mm	
V242-L	Head 90° (fit Victor®)	530 mm.	0-200 mm	
242-NM	Head 90° (fit Airco)	460 mm.	0-200 mm	
242-P	Head 90° (fit Oxweld®)	460 mm.	0-200 mm	

242-PL	Head 90° (fit Oxweld®)	530 mm.	0-200 mm	
242-S	Head 90° (fit Smith®)	460 mm.	0-200 mm	
242-HC	Head 90° (fit Cigweld®)	470 mm.	0-200 mm	
242-D	Head 90° (fit Messer®)	470 mm.	0-200 mm	
242-G1	Head 90° (fit Saf)	470 mm.	0-200 mm	
242-A	Head 70°	470 mm.	0-200 mm	
242-AL	Head 70°	530 mm.	0-200 mm	
V242-A	Head 70° (fit Victor®)	470 mm.	0-200 mm	
V242-AL	Head 70° (fit Victor®)	530 mm.	0-200 mm	
242-NMA	Head 70° (fit Airco)	470 mm.	0-200 mm	
242-PA	Head 70° (fit Oxweld®)	470 mm.	0-200 mm	
242-SA	Head 70° (fit Smith®)	470 mm.	0-200 mm	
242-HCA	Head 70° (fit Cigweld®)	480 mm.	0-200 mm	
242-DA	Head 70° (fit Messer®)	480 mm.	0-200 mm	
242-G1A	Head 70° (fit Saf®)	480 mm.	0-200 mm	
<b>РУЧНЫЕ РЕЗАКИ-</b>	<b>ПРОПАН / БУТАН / ПРИРОДНЫЙ ГАЗ</b>			
<b>Part N°</b>	<b>Description</b>	<b>Длина</b>	<b>Толщина разр. материала</b>	
282	Head 90°	510 mm.	0-400 mm	
28-2L	Head 90°	675 mm.	0-400 mm	
H28	Head 90°	510 mm.	0-400 mm	
H28-L	Head 90°	675 mm.	0-400 mm	
42-4F	Head 90°	430 mm.	0-200 mm	
42-4FL	Head 90°	530 mm.	0-200 mm	
423FL835	Head 90°	835 mm.	0-200 mm	
423FL1000	Head 90°	1000 mm.	0-200 mm	
42-4AF	Head 70°	430 mm.	0-200 mm	
42-4AFL	Head 70°	530 mm.	0-200 mm	
42-4E	Head 90°	460 mm.	0-200 mm	
42-4EL	Head 90°	500 mm.	0-200 mm	
42-3EV	Head 90° handwheel valve		0-200 mm	
42-3EV-GB	Head 90° handwheel valve		0-200 mm	
42-3EVL	Head 90° handwheel valve		0-200 mm	
42-3AFL-835	Head 70°	835 mm.	0-200 mm	
42-3AFL-1000	Head 70°	1000 mm.	0-200 mm	
42-3FV	Head 90° handwheel valve		0-200 mm	
42-3FVL	Head 90° handwheel valve		0-200 mm	
42-3FVL-835	Head 90° handwheel valve		0-200 mm	
42-3FVL-1000	Head 90° handwheel valve		0-200 mm	

42-3AFL-1250	Head 70° handwheel valve		0-200 mm	
62-5F	Head 90°	460 mm.	0-300 mm	
62-5F-GB	Head 90°	460 mm.	0-300 mm	
62-5E	Head 90°	460 mm.	0-300 mm	
62-5E-GB	Head 90°	460 mm.	0-300 mm	
62-5EL	Head 90°	460 mm.	0-300 mm	
62-5EL-1000	Head 90°	900 mm.	0-300 mm	
V62-5E	Head 90°, fit Victor®	460 mm.	0-300 mm	
V62-5EL	Head 90°, fit Victor®	530 mm.	0-300 mm	
62-5AE	Head 70°	530 mm.	0-300 mm	
62-5AEL	Head 70°	530 mm.	0-300 mm	
62-5AEL-1000	Head 70°	900 mm.	0-300 mm	
V62-5AEL	Head 70°, fit Victor®	530 mm.	0-300 mm	
62-5FL	Head 90°	530 mm.	0-300 mm	
V62-5FL	Head 90°, fit Victor®	530 mm.	0-300 mm	
62-5FL-835	Head 90°	835 mm.	0-300 mm	
62-5FL-835-GB	Head 90°	835 mm.	0-300 mm	
62-5FL-1000	Head 90°	900 mm.	0-300 mm	
62-5FL-1000-GB	Head 90°	900 mm.	0-300 mm	
V62-5FL-1000	Head 90°, fit Victor®	900 mm.	0-300 mm	
62-5FL-1250	Head 90°	1250 mm.	0-300 mm	
62-5FL-1250-GB	Head 90°	1250 mm.	0-300 mm	
62-5FL-1500	Head 90°	1500 mm.	0-300 mm	
62-5FL-1500-GB	Head 90°	1500 mm.	0-300 mm	
62-5FL-2000	Head 90°	2000 mm.	0-300 mm	
62-5FL-2000-GB	Head 90°	2000 mm.	0-300 mm	
62-5AF	Head 70°	460 mm.	0-300 mm	
62-5AF-GB	Head 70°	460 mm.	0-300 mm	
62-5AFL	Head 70°	530 mm.	0-300 mm	
V62-5AFL	Head 70°, fit Victor®	530 mm.	0-300 mm	
62-5AFL-835	Head 70°	835 mm.	0-300 mm	
62-5AFL-835-GB	Head 70°	835 mm.	0-300 mm	
62-5AFL-1000	Head 70°	900 mm.	0-300 mm	
62-5AFL-1000-GB	Head 70°	900 mm.	0-300 mm	
V62-5AFL-1000	Head 70°, fit Victor®	900 mm.	0-300 mm	
62-5AFL-1250	Head 70°	1210 mm.	0-300 mm	
62-5AFL-1250-GB	Head 70°	1210 mm.	0-300 mm	
62-5AFL-1500	Head 70°	1500 mm.	0-300 mm	
62-5AFL-2000	Head 70°	2000 mm.	0-300 mm	

62-5AFL-2000-GB	Head 70°	2000 mm.	0-300 mm	
62-5AFL-3000	Head 70°	3000 mm.	0-300 mm	
62-5BF	Head 180°	460 mm.	0-300 mm	
62-5BF-GB	Head 180°	460 mm.	0-300 mm	
62-5BFL	Head 180°	530 mm.	0-300 mm	
62-5BFL-835	Head 180°	461 mm.	0-300 mm	
62-5BFL-835-GB	Head 180°	835 mm.	0-300 mm	
62-5BFL-1000	Head 180°	900 mm.	0-300 mm	
62-5BFL-1000-GB	Head 180°	900 mm.	0-300 mm	
62-5BFL-1250	Head 180°	1210 mm.	0-300 mm	
62-5BFL-1250-GB	Head 180°	1210 mm.	0-300 mm	
62-5BFL-1500	Head 180°	1500 mm.	0-300 mm	
62-5BFL-1500-GB	Head 180°	1500 mm.	0-300 mm	
62-5BFL-2000	Head 180°	2000 mm.	0-300 mm	
62-5BFL-3000	Head 180°	3000 mm.	0-300 mm	
142-F	Head 90°	450 mm.	0-200 mm	
142-F-GB	Head 90°	460 mm.	0-200 mm	
142-FL	Head 90°	530 mm.	0-200 mm	
142-AF	Head 70°	450 mm.	0-200 mm	
142-AFL	Head 70°	530 mm.	0-200 mm	
142-AFL-835	Head 70°	835 mm.	0-200 mm	
142-AFL-835-GB	Head 70°	835 mm.	0-200 mm	
142-E	Head 90°	460 mm.	0-200 mm	
142-EL	Head 90°	530 mm.	0-200 mm	
NM-250	Head 90°	480 mm.	0-250 mm	
NM-250-GB	Head 90°	480 mm.	0-250 mm	G.3/8" threads
NM-250-835	Head 90°	835 mm.	0-250 mm	
NM-250-1000	Head 90°	1000 mm.	0-250 mm	
NM-250-1200	Head 90°	1200 mm.	0-250 mm	
NM-250A	Head 70°	480 mm.	0-250 mm	
NM-250A-835	Head 70°	835 mm.	0-250 mm	
NM-250A-1000	Head 70°	1000 mm.	0-250 mm	
980-F	Head 90°	480 mm.	0-200 mm	
980-FGB	Head 90°	480 mm.	0-200 mm	G.3/8" threads
980-GB	Head 90°	480 mm.	0-200 mm	G.3/8" threads
980-NM	Head 90°	480 mm.	0-200 mm	
980-NMGB	Head 90°	480 mm.	0-200 mm	G.3/8" threads
242	Head 90°	460 mm.	0-200 mm	
242-L	Head 90°	530 mm.	0-200 mm	

V242	Head 90° (fit Victor®)	460 mm.	0-200 mm
V242-L	Head 90° (fit Victor®)	530 mm.	0-200 mm
242-NM	Head 90° (fit Airco)	460 mm.	0-200 mm
242-P	Head 90° (fit Oxweld®)	460 mm.	0-200 mm
242-PL	Head 90° (fit Oxweld®)	530 mm.	0-200 mm
242-S	Head 90° (fit Smith®)	460 mm.	0-200 mm
242-HC	Head 90° (fit Cigweld®)	470 mm.	0-200 mm
242-D	Head 90° (fit Messer®)	470 mm.	0-200 mm
242-G1	Head 90° (fit Saf)	470 mm.	0-200 mm
242-A	Head 70°	470 mm.	0-200 mm
242-AL	Head 70°	530 mm.	0-200 mm
V242-A	Head 70° (fit Victor®)	470 mm.	0-200 mm
V242-AL	Head 70° (fit Victor®)	530 mm.	0-200 mm
242-NMA	Head 70° (fit Airco)	470 mm.	0-200 mm
242-PA	Head 70° (fit Oxweld®)	470 mm.	0-200 mm
242-SA	Head 70° (fit Smith®)	470 mm.	0-200 mm
242-HCA	Head 70° (fit Cigweld®)	480 mm.	0-200 mm
242-DA	Head 70° (fit Messer®)	480 mm.	0-200 mm
242-G1A	Head 70° (fit Saf®)	480 mm.	0-200 mm

**СПЕЦИАЛЬНЫЕ ГОРЕЛКИ**

**METAL POWDER SPRAYING TORCH**

<b>Part N°</b>	<b>Description</b>		
187	Torch complete with tips and powder container		
18781-LT	Powder container		

**РЕЗАКИ ДЛЯ МАШИНОМ РЕЗКИ - АЦЕТИЛЕН**

<b>Part N°</b>	<b>Description</b>		
198-2E	Barrel 32 mm x 25 cm 2 hose		
198-2E-35	Barrel 35 mm x 25 cm 2 hose		
198-2E-35R	Barrel 35 mm x 25 cm 2 hose & rack		
198-2ER	Barrel 32 mm x 25 cm 2 hose & rack		
198-2TAE	Barrel 32 x mm 45 cm 3 hose		
198-2TAE-30	Barrel 30 x mm 45 cm 3 hose		
198-2TAE-35	Barrel 35 x mm 45 cm 3 hose		
198-2TE	Barrel 32 x mm 25 cm 3 hose		
198-2TE-30	Barrel 30 x mm 25 cm 3 hose		
198-2TE-30R	Barrel 30 x mm 25 cm 2 hose & rack		
198-2TE-35	Barrel 35 x mm 25 cm 3 hose		
1982TE-35R	Barrel 35 x mm 25 cm 3 hose & rack		
198-2	Barrel 32 mm x 25 cm 2 hose		

198-2/30	Barrel 30 mm x 25 cm 2 hose		
198-2/35	Barrel 35 mm x 25 cm 2 hose		
198-2/35R	Barrel 35 x mm 25 cm 2 hose & rack		
198-2A	Barrel 32 mm x 46 cm 2 hose		
198-2T	Barrel 32 x mm 25 cm 3 hose		
198-2T-30	Barrel 30 mm x 25 cm 3 hose		
198-2T-30R	Barrel 30 x mm 25 cm 3 hose & rack		
198-2TA	Barrel 32 mm x 46 cm 3 hose		
198-2TA-30	Barrel 30 mm x 46 cm 3 hose		
198-2TA-35	Barrel 35 mm x 46 cm 3 hose		
198-2TA-35R	Barrel 35 mm x 46 cm 3 hose & rack		
198-2TAR	Barrel 32 mm x 46 cm 3 hose & rack		
198-2TR	Barrel 32 x mm 25 cm 3 hose & rack		
198-4	Barrel 32 mm x 11 cm 3 hose (9/16" x 18 UNF)		
198-4B	Barrel 32 mm x 11 cm 3 hose (G 1/4")		
198-2T/35	Barrel 35 mm x 25 cm 3 hose		
198-2T/35R	Barrel 35 mm x 25 cm 3 hose & rack		
98-4	Barrel 35 mm x 11 cm 3 hose (9/16" x 18 UNF)		
98-4B	Barrel 35 mm x 11 cm 3 hose (G 1/4")		
98-4BE	Barrel 35 mm x 11 cm 2 hose		
133-2	Barrel 30 mm x 6,5 cm 3 hose		
133-2V	Barrel 30 mm x 6,5 cm 3 valves		
133-2/28	Barrel 28 mm x 6 cm 3 hose		
<b>РЕЗАКИ ДЛЯ МАШИНОЙ РЕЗКИ - ПРОПАН / БУТАН / ПРИРОДНЫЙ ГАЗ</b>			
<b>Part N°</b>	<b>Description</b>		
198-2F	Barrel 32 mm x 25 cm 2 hose		
198-2F/35	Barrel 35 mm x 25 cm 2 hose		
198-2F-35R	Barrel 35 mm x 25 cm 2 hose& rack		
198-2FR	Barrel 32 mm x 25 cm 2 hose & rack		
198-2E	Barrel 32 mm x 25 cm 2 hose		
198-2E-35	Barrel 35 mm x 25 cm 2 hose		
198-2E-35R	Barrel 35 mm x 25 cm 2 hose & rack		
198-2ER	Barrel 32 mm x 25 cm 2 hose & rack		
198-2TAF	Barrel 32 mm x 46 cm 3 hose		
198-2TAF/30	Barrel 30 mm x 46 cm 3 hose		
198-2TAF/30R	Barrel 30 mm x 46 cm 3 hose & rack		
198-2TAF/35	Barrel 35 mm x 46 cm 3 hose		
198-2TAF/35R	Barrel 35 mm x 46 cm 3 hose & rack		
198-2TA-FR	Barrel 32 mm x 46 cm 3 hose & rack		

198-2TF	Barrel 32 mm x 25 cm 3 hose		
198-2TF/30	Barrel 30 mm x 25 cm 3 hose		
198-2TF/30R	Barrel 30 mm x 25 cm 3 hose & rack		
198-2TF/35	Barrel 35 mm x 25 cm 3 hose		
198-2TF/35R	Barrel 35 mm x 25 cm 3 hose & rack		
198-2TFR	Barrel 32 mm x 25 cm 3 hose & rack		
198-2TE	Barrel 32 x mm 25 cm 3 hose		
198-2TE-30	Barrel 30 x mm 25 cm 3 hose		
198-2TE-30R	Barrel 30 x mm 25 cm 2 hose & rack		
198-2TE-35	Barrel 35 x mm 25 cm 3 hose		
1982TE-35R	Barrel 35 x mm 25 cm 3 hose & rack		
198-2AF	Barrel 32 mm x 46 cm 2 hose		
198-4F	Barrel 32 mm x 11 cm 3 hose (9/16" x 18 UNF)		
198-4BF	Barrel 32 mm x 11 cm 3 hose (G 1/4")		
198-2AF/35	Barrel 35 mm x 46 cm 2 hose		
98-4BE	Barrel 35 mm x 11 cm 2 hose		
98-4F	Barrel 35 mm x 11 cm 3 hose (9/16" x 18 UNF)		
98-4BF	Barrel 35 mm x 11 cm 3 hose (G 1/4")		
133-2F	Barrel 30 mm x 6,5 cm 3 hose		
133-2FV	Barrel 30 mm x 6,5 cm 3 valves		
133-2F/28	Barrel 28 mm x 6 cm 3 hose		
133-2FV/28	Barrel 28 mm x 6 cm 3 valves		
<b>ГОРЕЛКИ ДЛЯ РЕЗКИ, ПАЙКИ, НАПЛАВКИ, ПОДОГРЕВА</b>			
<b>РУЧКИ</b>			
<b>Part N°</b>	<b>Description</b>		
189-2	Automatic handle, compressed air includes 81-12 tip		
19-6	Metal handle		
19-6-GB	Metal handle, G 1/4"		
19-6F	Handle with H-19-2E		
19-6J	Handle with H-19-2E, D-50-C		
19-6S	Handle with H-19-2S, D-50-C		
43-2	Handle with stainless steel head		
43-2F	Handle with E-43		
432GB	Handle with stainless steel head, G 3/8"		
50-10	Automatic handle		
50-10-GB	Automatic handle, G 1/4"		
50-10S	Handle with H-19-2S, D-50-C		
50-9	Automatic handle		
50-9-GB	Automatic handle, G 1/4"		



543	Handle		
543D	Handle, G 1/4, G 3/8"		
543-GB	Handle, G 3/8"		
63-2	Handle		
63-2F	Handle with E-43		
63-2-GB	Handle, G 3/8"		
263	Handle		
V263	Handle (fit Victor®)		
263-P	Handle (fit Oxweld®)		
263-S	Handle (fit Smith®)		
263-HC	Handle (fit Cigweld®)		
543-G1	Handle (fit Saf®)		
85	Handle		
V-315-CH	Handle (fit Victor®)		
V-316-CH	Handle (fit Victor®)		
<b>НАСАДКИ ДЛЯ РЕЗКИ - АЦЕТИЛЕН</b>			
<b>Part N°</b>	<b>Description</b>		
36-2	For 19-6, 50-9		
49-3	For 43-2, 63-2, 543		
49-3A	For 43-2, 63-2, 543 Head 70°		
49-3L-360	For 43-2, 63-2, 543 Head 90°		
49-3L-500	For 43-2, 63-2, 543 Head 90°		
49-3V	For 43-2, 63-2, 543 Head 90°, with fast action rotary Толщина разр. материала valve		
73-3	For 43-2, 63-2, 543 (E.P.)		
73-3B	For 4-32, 63-2, 543 Head 180°		
73-3V	For 43-2, 63-2, 543 Head 90°, with fast action rotary Толщина разр. материала valve		
72-3	For 85 (E.P.)		
72-3V	For 85 (E.P.), with fast action rotary Толщина разр. материала valve		
59-3	For 43-2, 63-2, 543 (tip mix)		
273	For 263		
V273	For V263 (fit Victor®)		
273-NM	For 263 (fit Airco)		
273-P	For 263P (fit Oxweld®)		
273-S	For 263S (fit Smith®)		
273-HC	For 263HC (fit Cigweld®)		
273-D	For 543HCD17 (fit Messer®)		

273-G1	For 543G1 (fit Saf®)		
<b>НАСАДКИ ДЛЯ РЕЗКИ - ПРОПАН / БУТАН / ПРИРОДНЫЙ ГАЗ</b>			
<b>Part N°</b>	<b>Description</b>		
36-2	For 19-6, 50-10		
49-3F	For 43-2, 63-2, 543		
49-3FL-360	For 43-2, 63-2, 543		
49-3FL-500	For 43-2, 63-3, 543 Head 90°		
49-3AF	For 43-2, 63-2, 543 Head 70°		
49-3AFV	For 43-2, 63-2, 543 Head 70°		
49-3AFL-500	For 43-2, 63-2, 543 Head 70°		
49-3FV	For 43-2, 63-2, 543 Head 90°		
V49-3F	For V-315-CH, V-316-CH Head 90° (fit Victor®)		
59-3	For 43-2, 63-2, 543 (tip mix)		
59-3V	For 43-2, 63-2, 543 (tip mix)		
273	For 263		
V273	For V263 (fit Victor®)		
273-NM	For 263 (fit Airco)		
273-P	For 263P (fit Oxweld®)		
273-S	For 263S (fit Smith®)		
273-HC	For 263HC (fit Cigweld®)		
273-D	For 543HCD17 (fit Messer®)		
273-G1	For 543G1 (fit Saf®)		
V-2460-F	For V-315-CH, V-316-CH Head 90° (fit Victor®)		
V-2460-AF Note: All 49, 73, 72 cut. attach.	For V-315-CH, V-316-CH Head 70° (fit Victor®) can be fitted with fast action rotary cutting valve, add "V" to product code:no additional charge.		
<b>МУНДШТУКИ ДЛЯ РЕЗКИ - АЦЕТИЛЕН</b>			
<b>Part N°</b>	<b>Толщина разр. материала</b>		
2890-1Fto 7F	0-300 mm		
3690-00AC to 2AC	0-75 mm for 36-2		
6290-000 to 4	15-150 mm		
6290-1S to 6S	Extra pre-heat 15-300 mm		
6290-00AC to 6AC	0-300 mm two-piece		
8290-1 to 7	0-300 mm		
8290-ANME1 to ANME7	0-300 mm - Extended Длина		
1101-00HV to 8HV	0-300 mm (Victor® style)		
CT1502-2,3,4,6,8,10	0-200 mm (Oxweld® style)		
CTSC12-0 to 5	0-200 mm (Smith® style)		
CT41-6,8,12,15,20,24	0-200 mm (Cigweld® style)		

AB-1 to 6	0-200 mm (Messer® style)		
G1A-7,10,12,16,20,25	0-200 mm (Saf® style)		
<b>МУНДШТУКИ ДЛЯ РЕЗКИ - ПРОПАН / БУТАН / ПРИРОДНЫЙ ГАЗ</b>			
<b>Part N°</b>	<b>Толщина разр. материала</b>		
2890-0P to 8P	0-500 mm		
3690-00P to 2P	0-75 mm for 36-2		
6290-000NX to 6NX	0-300 mm		
6290-1NFF to 6NFF	Extra pre-heat 15-300 mm		
8290-P1 to P7	0-300 mm		
8290-PNME1 to PNME8	0-300 mm - Extended Длина		
GPN-000 to 8	0-300 mm (Victor® style)		
CT1503-4,6,8,10	0-200 mm (Oxweld® style)		
CTSC50A-0 to 5	0-200 mm (Smith® style)		
CT44-6,8,12,15,20,24	0-200 mm (Cigweld® style)		
G1P-7,10,12,16,20,25	0-200 mm (Saf® style)		
<b>МУНДШТУКИ ДЛЯ РЕЗКИ - МАПП / АРАСНЕ / TETRENE</b>			
<b>Part N°_Толщина разр. материала</b>			
6290-000NXPM to 6NXPM 0-300 mm			
<b>НАСАДКИ ДЛЯ ПАЙКИ</b>	<b>- АЦЕТИЛЕН</b>		
<b>Part N°</b>	<b>Description</b>		
0090-1, 3, 5, 6, 8	Flexible welding tip		
1390-00 to 5	Welding tip		
1390-6 to 10	Welding tip		
23-A-90-0,1,3,5,6,8,9,10	Welding tip		
23-A-90-13, 15	Welding tip		
5090-0,1,3,5,6,8,9,10	Welding tip		
L-19-0,1,2	Welding assembly		
L-19-3,5,6,8,9	Welding assembly		
L-19-10	Welding assembly		
L-43-0-1-3	Welding assembly		
L-43-5,6,8,9,10	Welding assembly		
L-43-13 & 15	Welding assembly		
<b>НАСАДКИ ДЛЯ НАПЛАВКИ - ПРОПАН / БУТАН / ПРИРОДНЫЙ ГАЗ</b>			
<b>Part N°</b>	<b>Description</b>		
0090-2N, 4N, 6N, 8N	Flexible brazing tip		
1390-2N to 4N	Brazing tip		
1390-5N to 10N	Brazing tip		

**НАСАДКИ ДЛЯ ПОДОГРЕВА - АЦЕТИЛЕН**

<b>Part N°</b>	<b>Description</b>		
1390-HA	Heating tip		
J-63-1 & 2	Heating tip		
J-63-3	Heating tip		
J-63-4	Heating tip		
J-143-5	Heating tip		
L-63-1, 2	Heating assembly		
L-63-3	Heating assembly		
L-63-4	Heating assembly		

**НАСАДКИ ДЛЯ ПОДОГРЕВА - ПРОПАН / БУТАН / ПРИРОДНЫЙ ГАЗ**

<b>Part N°</b>	<b>Description</b>		
1390-H	Heating tip		
1390-3H	Heating tip		
2290-1H to 2H	Heating tip		
2290-3H	Heating tip		
2290-4H	Heating tip		
2290-5H	Heating tip		
2290-13N & 15N	Heating tip		
2290-20N, 30N, 80N,	Heating tip		
50903N, 5N, 8N	Heating tip		
H-62-1P,2P	Heating assembly		
H-62-3P	Heating assembly		
81-12	Heating tip for 189-2		

**FLAME CLEANING TIPS - АЦЕТИЛЕН**

<b>Part N°</b>	<b>Description</b>		
RBA-43-2	Flame cleaning tip w/adapter		
RBA-43-4	Flame cleaning tip w/adapter		
RBA-43-6	Flame cleaning tip w/adapter		

**FLAME CLEANING TIPS - ПРОПАН / БУТАН / ПРИРОДНЫЙ ГАЗ**

<b>Part N°</b>	<b>Description</b>		
RBP-43-2	Flame cleaning tip		
RBP-43-4	Flame cleaning tip		
RBP-43-6	Flame cleaning tip		

**TIPS FOR POWDER SPRAYING TORCHES**

<b>Part N°_Description</b>			
18790-45H, 48H, 53H_Tips for model 187			

**МУНДШТУКИ ДЛЯ МЕХАНИЗИРОВАННЫХ РЕЗАКОВ - АЦЕТИЛЕН**

<b>Part N°_Толщина разр. материала</b>			
6290-1VAX to 6VAX_High speed machine Толщина разр. материала 0-200 mm			
<b>МУНДШТУКИ ДЛЯ МЕХАНИЗИРОВАННЫХ РЕЗАКОВ - ПРОПАН_</b>			
<b>Part N°_Толщина разр. материала_</b>			
6290-5/0VVC to 5 1/2 VVC High speed machine Толщина разр. материала 0-250 mm			
6290-5NH to 8NH_Machine Толщина разр. материала 225 - 380 mm.			
<b>МУНДШТУКИ ДЛЯ МЕХАНИЗИРОВАННЫХ РЕЗАКОВ - МАРР, АРАСНЕ &amp; TETRENE</b>			
<b>Part N°_Толщина разр. материала_</b>			
6290-0VPM to 6VPM 0-200 mm 975			
6290-7NHM 200-300 mm 1 183			
<b>СПЕЦИАЛЬНЫЕ МУНДШТУКИ - АЦЕТИЛЕН</b>			
<b>Part N°_Description</b>			
6290-1G to 3G Gouging 3 161			
6290-R_Rivet cutting_5 630			
<b>СПЕЦИАЛЬНЫЕ МУНДШТУКИ - ПРОПАН</b>			
<b>Part N°_Description</b>			
6290-1GG to 4GG Gouging			
6290-2NFFR Rivet cutting			
6290-NFW_Rivet Washing			
<b>МИКСЕРЫ</b>	<b>- АЦЕТИЛЕН</b>		
<b>Part N°</b>	<b>Description</b>		
H-19-2E	Equal pressure (for 19-6, 50-9)		
E-43	Equal pressure (for 43-2, I-43-2)		
E-43-VH	Equal pressure		
E2-43	Equal pressure (for 43-2, I-43,2)		
E2-43-VH	Equal pressure (for V315CH, V316CH)		

E3-43	Equal pressure (for J-143-5)		
B-19-1	Universal pressure, tips 0-2		
B-19-3	Universal pressure, tips 4-10		
B-19-2S	Universal pressure tip 3		
D-85	Equal pressure		
<b>МИКСЕРЫ</b>	<b>- ПРОПАН / БУТАН / ПРИРОДНЫЙ ГАЗ</b>		
<b>Part N°</b>	<b>Description</b>		
H-19-2S	Universal pressure (for 19-6, 50-10)		
B-43-1	Universal pressure, tips 1N, 2N		
B-43-3	Universal pressure, tips 3N, 4N		
B-43-5	Universal pressure, tip 5N		
B-43-6	Universal pressure, tips 6N, 7N		
B-43-8	Universal pressure, tips 8N, 1390-H		
B-43-9	Universal pressure, tip 9N		
B-43-10	Universal pressure, tips 10N		
B-43-15	Universal pressure, tips 13N-15N		
B-43-N	Universal pressure, for all models K-43, tips 20N, 30N, 80N		
F-43	For all model K-43		
<b>ТРУБКИ</b>			
<b>Part N°</b>	<b>Description</b>		
2393-1F	Tube 915 mm	(2290-H tips)	
2393-2F	Tube 710 mm	(2290-H tips)	
2393-3F	Tube 380 mm	(2290-H tips)	
2393-4F	Tube 265 mm	(2290-H tips)	
2393-5F	Tube, straight 915 mm	(2290-H tips)	
2393-6F	Tube 1200 mm	(2290-H tips)	
D-50-C	Tube for 1390 & 1390N tips (for models 19-6,50-9,50-10)		
8593	Tube for 1390 & 1390N tips (for models 43-2, 543, 63-2)		
B-187	Tube for 187		
<b>НАБОРЫ ДЛЯ РЕЗКИ И ПАЙКИ - АЦЕТИЛЕН</b>			
<b>Part N°</b>	<b>Description</b>		
19/36-S	Equal pressure		
19/36-SS	Equal pressure w/1390 tips		
19/36-SU	Universal pressure welding		
19/36-SUD	Universal pressure welding w/19-6		
19/36-STD-EP2	Equal pressure		
19/36-STD-UP	Universal pressure welding		
<b>ПРОФ НАБОРЫ ДЛЯ РЕЗКИ И ПАЙКИ - АЦЕТИЛЕН</b>			

Part N°	Description		
43/49-SAC	Cut up to 150 mm - universal pressure / weld up to 20 mm - universal pressure		
43/49-SUAC	Cut up to 150 mm - universal pressure / weld up to 50 mm - equal pressure		
43/49-STDUP	Cut up to 150 mm - universal pressure / weld up to 9 mm - universal pressure		
I-43/49-SAC	Cut up to 150 mm - universal pressure / weld up to 9 mm - equal pressure		
I-43/49-SUAC	Cut up to 150 mm - universal pressure / weld up to 9 mm - equal pressure		
43/73-SAC	Cut up to 150 mm / weld up to 50 mm - universal pressure		
43/73-STDEP	Cut up to 150 mm - equal pressure / weld up to 9 mm - universal pressure		
<b>ВСТАВКИ ДЛЯ НАБОРОВ</b>			
Part N°	Description		
1936-PUA	For Professional Kits		
1936-P	For Professional Kits		
4349-PI	For Professional Kits		
4349-P	For Professional Kits		
1936-PH	For Professional Kits		
1936-PSA	For Professional Kits		
4349-PS	For Professional Kits		
<b>ПУСТЫЕ ЧЕМОДАНЫ ДЛЯ НАБОРОВ</b>			
Part N°_Description			
1943/K For all kits (Precision, Prof.) (BLUE)			
1943/KSR_ For kit model 1936-STD-EP2			
<b>ОБРАТНЫЕ КЛАПАНА</b>			
Part N°	Description		
88-3SVL	For torches	Inlet G 1/4" LH, Outlet G 1/4" LH	
88-3SVR	For torches	Inlet G 1/4" RH, Outlet G 1/4" RH	
88-6CVTL	For torches	Inlet-Outlet 9/16-18 UNF	
88-6CVTR	For torches	Inlet-Outlet 9/16-18 UNF	
88-4CVL	For regulators	Inlet-Outlet 9/16-18 UNF	

88-4CVR	For regulators	Inlet-Outlet 9/16-18 UNF	
88-7CVRL	Also substitute outlet nipple in regulator	Inlet-Outlet 9/16-18 UNF	
88-7CVRR	Also substitute outlet nipple in regulator	Inlet-Outlet 9/16-18 UNF	
C-98-V2	Back check valve (up to 250 mm cuts)	Inlet-Outlet 9/16-18 UNF	
88-6GBL	For torches	Inlet G 3/8", Outlet G 3/8"	
88-6GBR	For torches	Inlet G 3/8", Outlet G 3/8"	
88-6GBR1	For torches	Inlet 9/16-18 UNF, Outlet G 3/8"	
88-6GL	For torches	Inlet 9/16-18 UNF, Outlet G 3/8"	
88-6GR	For torches	Inlet 9/16-18 UNF, Outlet G1/4"	
88-6FL	For torches	Inlet 9/16-18 UNF, Outlet M 16x1.5	
88-6FR	For torches	Inlet 9/16-18 UNF, Outlet M 16x1.5	
88-6AL	For torches	Inlet 9/16-18 UNF, Outlet .622-18 L	
88-6AR	For torches	Inlet 9/16-18 UNF, Outlet .622-18 U	
88-6AL1	For torches	Inlet .622-18 UN, Outlet .622-18 U[	
88-6AR1	For torches	Inlet .622-18 UN, Outlet .622-18 U[	
88-6CTL	For torches	Inlet M16x1.5, Outlet M 16x1.5	
88-6CTR	For torches	Inlet M16x1.5, Outlet M 16x1.6	

#### БЫСТРОРАЗЪЕМНЫЕ СОЕДИНЕНИЯ

Part N°	Description		
CPL6	For hose, hose connection 0 1/4" (6 mm)		
CPR6	For hose, hose connection 0 1/4" (6 mm)		
CPL8	For hose, hose connection 0 5/16" (8 mm)		
CPR8	For hose, hose connection 0 5/16" (8 mm)		
CPLGB	For torch, threads G 3/8"LHUNI ISO 228		
CPRGB	For torch, threads G 3/8"RHUNI ISO 228		
CPL	For torch, threads 9/16"18UNF2BLH		
CPR	For torch, threads 9/16"18UNF2BRH		
QACL6	For hose, hose connection 0 1/4" (6 mm)		



QACR6	For hose, hose connection 0 1/4" (6 mm)		
QACL8	For hose, hose connection 0 5/16" (8 mm)		
QACR8	For hose, hose connection 0 5/16" (8 mm)		
QACLGB	For regulator, threads G 3/8"LHUNI ISO 228		
QACRGB	For regulator threads G 3/8"RHUNI ISO 228		
<b>НАБОРЫ ДЛЯ ЧИСТКИ МУНДШТУКОВ</b>			
<b>Part N°</b>	<b>Description</b>		
C-9	Cleaners for drilled tips 781		
E-9	Cleaner for VVC machine Толщина разр. материала tips 1 331		
<b>РАЗВЕТВИТЕЛИ</b>			
<b>Part N°</b>	<b>Description</b>		
37-L	9/16"x18LH with 2 valves		
37-R	9/16"x18RH with 2 valves		
37-FL	M16x1.54HLH with 2 valves		
37-FR	M16x1.54HRH with 2 valves		
37-GBL	G 3/8"LH with 2 valves		
37-GBR	G 3/8"RH with 2 valves		
37-L2	9/16"x18LH		
37-R2	9/16"x18RH		
37-SL2	G 3/8"LH		
37-SR2	G 3/8"RH		
<b>ОПОРНЫЕ НААПРАВЛЯЮЩИЕ И ЦИРКУЛИ ДЛЯ РЕЗКИ</b>			
<b>Part N°</b>	<b>Description</b>		
I-69-4	For: 62-3, 42-3, 49, 28 Single wheel, with circle bar		
I-69-4A	Single wheel, guide only		
I-69-6	Twin wheels with circle bar		
I-69-6A	Twin wheels guide only		
R-69-A	Twin wheels, with circle bar for 28		
R-69-3B	Twin wheels, with circle bar		
R-69-3A	Twin wheels guide only		
R-69-4C	Twin wheels with bar for 59-NM-250		
I-69-5	For: 36-2 Single wheel, with circle bar		
I-69-7	Twin wheels with circle bar		
I-69-7A	Twin wheels guide only		
R-69-880	Twin wheels with bar for 880		
I-69-6HV	Twin wheels with bar for Vseries		

### НАСАДКИ ДЛЯ РЕЗКИ

Part N°	Description		
TH-119	Body (without tips)		
TH-98	Раздвоитель (300 mm)		
ST-1359	Star holder		
TH-98-AA-600	Раздвоитель (600 mm)		
TH-98-AA-700	Раздвоитель (700 mm)		
1901-11	For H-19-2E, J-63-1,2		
1901-12	For H-19-2E, J-63-3		
2327	Coupling to K-43, multi flame tips		
2357	Nipple to K-43		
2357-3	Nipple between 2393-F and 2290 tips		
4301-11	Adapter for TH-119-E-43		
9757-3C	Adapter for C-98-V		

### ШТУЦЕРА

Part N°	Description		
38-L1	9/16" - 18 UNF -2B -LH Nut and stem for 9 mm. hose (3/8")		
38-R-1	9/16" - 18 UNF -2B -RH Nut and stem for 9 mm. hose (3/8")		
38-L-2	9/16" - 18 UNF -2B -LH Nut and stem for 8 mm.hose (5/16")		
38-R-2	9/16" - 18 UNF -2B -RH Nut and stem for 8 mm. se (5/16")		
38-L-3	9/16" - 18 UNF -2B -LH Nut and stem for 6 mm.hose (1/4")		
38-R-3	9/16" - 18 UNF -2B -RH Nut and stem for 6 mm. hose (1/4")		
38-L-4	9/16" - 18 UNF -2B -LH Nut and stem for 5 mm. hose (3/16")		
38-R-4	9/16" - 18 UNF -2B -RH Nut and stem for 5 mm. hose (3/16")		
E- 38-L2	G 3/8" - RH - Nut and stem for 9 mm. hose (3/8")		
E-38-R-2	G 3/8" - LH - Nut and stem for 9 mm. hose (3/8")		
E-38-L-3	G 3/8" - RH - Nut and stem for 5 mm. Hose (3/16")		
E-38-R-3	G 3/8" - LH - Nut and stem for 5 mm. hose (3/16")		
E-38-L-4	G 3/8" - RH - Nut and stem for 6 mm. hose (1/4")		
E-38-R-4	G 3/8" - LH - Nut and stem for 6 mm. hose (1/4")		

E-38-R2S	G 3/8" - RH - Nut and stem for 5 and 8 mm. hose (5/16" , 3/16")		
E-38-L2S	G 3/8" - LH - Nut and stem for 5 and 8 mm. hose (5/16" , 3/16")		
F-38-L2	M16x1.5-6LH Nut and stem for 9 mm. hose (3/8")		
F-38-R2	M16x1.5-6RH Nut and stem for 9 mm. hose (3/8")		
F-38-L3	M16x1.5-6LH Nut and stem for 5 mm. hose (3/16")		
F-38-R3	M16x1.5-6RH Nut and stem for 5 mm. hose (3/16")		
F-38-L4	M16x1.5-6LH Nut and stem for 6 mm. hose (1/4")		
F-38-R4	M16x1.5-6RH Nut and stem for 6 mm. hose (1/4")		
F-38-L5	M16x1.5-6LH Nut and stem for 5 mm. hose (5/16")		
F-38-R2S	M16x1.5-6RH Nut and stem for 5 mm & 8 mm. hose ( 3/16" , 5/16")		
<b>РАЗНОЕ</b>			
<b>Part N°</b>	<b>Description</b>		
APS010	ОЧКИ		
26-SL	Зажигалка с кремнем		
26-L	Кремни 5 шт		
9x81-9	Ferrule 1/4" hose		
9x81-7	Ferrule 3/8" hose		
926-L	Hose coupler		
926-R	Hose coupler		
927-1	Hose splicers		