

- Extremely robust
- Easy to understand
- Reliable in use





Compatec – the reliable compaction control.

www.wackerneuson.com/compatec

This is what the Compatec offers:

- Functional test when switching on
- Easily detectable compaction display with eight indicator fields
- Overload indicator in order to protect the unit from damage
- Adaptation of the light intensity to the ambient light

Extremely robust and reliable.

The Compatec from Wacker Neuson is the only compaction control on the market that is attached to the upper mass of the unit. The advantage: No defect-prone signal lines from the sensor to the evaluation unit, because all components are encapsulated in one embedded unit. In addition, it is protected from excessive vibrations and stone chipping. This makes Compatec from Wacker Neuson extremely reliable.



Eight indicator fields tell the operator the relative compaction progress. If the display advances no further, the maximum achievable soil compaction has been reached.

TECHNICAL DATA		
Operating weight kg		
Base plate size (WxL) mm		
Machine height (without center pole) mm		
Operating width with attachment plates mm		
Centrifugal force kN		
Frequency Hz		

* Compatec	available	as	а	retrofit	kit

DPU 6555Hec	DPU 5545Hec	DPU 4545He*	
482.5	417.5	416.5	
550 x 900	440×900	440×900	
869	790	790	
710	600	600	
65	55	45	
69	69	69	



www.wackerneuson.com/compatec

Contact us: