

OOO "TD "Spech-TechTrade"
Building 10
Perovskaya street 67
111394, MOSCOW CITY,

QUOTE

Page : 1 / 3
Qte no. : 112390
Date : 17.08.2016
CustNo : 16045
Our ref. : Ksenia Kelsch
+49 5971 9675 39
k.kelsch@tuchel.com
Enq no. : PLUS 150 & 180 HG
Enquiry dated : 17.08.2016
Ref. : Timur

Delivery : Ex works
Dispatch : Pickup forwarding agency (customer)

=====

Delivery ex works: approx. 4 weeks

=====

Item	Itm no. / Description	Quantity	Em	Unit price EUR	Total price EUR
10	1382 / 0254 Plus 590 Sweeping-machine	1	PC Discount	7.176,00 / 1 35,00 %	4.664,40
	Mounting position		front-mounting		
	Drive		hydraulic, external motor on the left, incl. integrated overtravel securing		
	Working width		Working width 150 cm		
	Brush material ø 590 mm		100% PP WaveLine with CrownLock system		
	Type of attachment-system		via fork-tine hitch		
	Fork-tines		Cross section of fork tines 150 x 60 mm		
	Connecting piece		via parallelogram and height indicators		
	Type of construction		with large hopper incl. PU-lip and parking stands		
	Hydraulic emptying		with mechanical shut-off cock for simple sweeping, (no dismounting of the hopper required)		
	Angling of sweeping-machine		mechanical		
	Water-spray system		200 l water tank with intermission function and protection against dry run and connecting cable incl. plug (if available)		
	Side brush		mounted in driving direction on the right, mechanical, can swing open and down		
	Brush for side brush		100% PPN, ø 600mm		
	3rd support-wheel		pour un guidage régulier au sol, version courte		
	Castors on 3rd support-wheel		for rough jobs ø250x80		
	Castors on machine frame		for rough jobs ø250x80		
	electrical connexion		12 volt (electric power supply carrier-vehicle)		
	switch board		to operate the electrical components, switchboard incl. Connecting cable and connector for cigarette lighter		
	Paint of sweeping-machine		RAL 2004 (Pure orange)		
	Paint of attachment components		RAL 7016 (anthracite grey)		
	Required hydr. circuits carrier-vehicle		1 x double-acting		
	<u>Included</u>				
	Working width	1		2.104,00	

QUOTE

Page : 2 / 3
Qte no. : 112390
Date : 17.08.2016

Item	Itm no. / Description	Quantity	Em	Unit price EUR	Total price EUR
	attachment plate	1		820,00	
	dirt collector	1		1.162,00	
	Water-spray system	1		1.385,00	
	Side brush	1		1.038,00	
	3rd support-wheel	1		349,00	
	Castors on 3rd support-wheel	1		106,00	
	Castors on machine frame	1		212,00	

20	1382 / 0255 Plus 590 Sweeping-machine	1	PC Discount	7.321,00 / 1 35,00 %	4.758,65
----	--	---	----------------	-------------------------	-----------------

Mounting position	front-mounting
Drive	hydraulic, external motor on the left, incl. integrated overtravel securing
Working width	Working width 180 cm
Brush material ø 590 mm	100% PP WaveLine with CrownLock system
Type of attachment-system	via fork-tine hitch
Fork-tines	Cross section of fork tines 150 x 60 mm
Connecting piece	via parallelogram and height indicators
Type of construction	with large hopper incl. PU-lip and parking stands
Hydraulic emptying	with mechanical shut-off cock for simple sweeping, (no dismounting of the hopper required)
Angling of sweeping-machine	mechanical
Water-spray system	200 l water tank with intermission function and protection against dry run and connecting cable incl. plug (if available)
Side brush	mounted in driving direction on the right, mechanical, can swing open and down
Brush for side brush	100% PPN, ø 600mm
3rd support-wheel	pour un guidage régulier au sol, version courte
Castors on 3rd support-wheel	for rough jobs ø250x80
Castors on machine frame	for rough jobs ø250x80
electrical connexion	12 volt (electric power supply carrier-vehicle)
switch board	to operate the electrical components, switchboard incl. Connecting cable and connector for cigarette lighter
Paint of sweeping-machine	RAL 2004 (Pure orange)
Paint of attachment components	RAL 7016 (anthracite grey)
Required hydr. circuits carrier-vehicle	1 x double-acting

Included	
Working width	1 2.227,00
attachment plate	1 820,00
dirt collector	1 1.184,00
Water-spray system	1 1.385,00
Side brush	1 1.038,00

QUOTE

Page : 3 / 3
 Qte no. : 112390
 Date : 17.08.2016

Item	Itm no. / Description	Quantity	Em	Unit price EUR	Total price EUR
	3rd support-wheel		1	349,00	
	Castors on 3rd support-wheel		1	106,00	
	Castors on machine frame		1	212,00	
	Gds val.				9.423,05
	Special discount (%) prepayment	9.423,05		-4,00 %	-376,92
Quote value - EUR					9.046,13

Pymt. : >>> P R E P A Y M E N T <<<

There is a tax-free goods for export to § 4 No. 1a) UStG.

Our sales tax ID no.: DE812353510

Best regards
 Tuchel Maschinenbau GmbH