


# *Robinair AC790PRO*

Packs a punch with heavyweight performance for servicing bus, coach and truck A/C systems



# Robinair AC790PRO

Packs a punch with  
heavyweight performance



## **The AC790PRO is powerful, robust and functional**

An easy-to-use refrigerant management station specially designed and built for larger volume bus, coach and HGV MAC systems.

The AC790PRO incorporates a more powerful vacuum pump and compressor, greater capacity refrigerant tank and oil bottles, together with a higher power charge.

## **Efficient operation**

The large twin fan-cooled condenser ensures excellent temperature and constant coolant pressure during recovery which prevents internal components from overheating.

## **Integral printer**

It is easy to produce a record of each A/C service using the AC790PRO's built-in printer. With the option of including company address details, the output shows the vehicle identity, date and time of the

service, refrigerant recovered and charged, oil recovered and charged, vacuum time and vacuum leak test pass/fail. The information can then be used in discussions with the customer regarding any faults or advisory work.

## **Technical support**

Autoclimate – the sole official UK distributor for Robinair refrigerant management stations, offers comprehensive technical support to users of Robinair equipment.

The company has a national network of experienced fully qualified field engineers who provide on-site maintenance and repair services for Robinair equipment.

# Robinair AC790PRO

More power and larger capacity for efficient and effective A/C servicing



## AC790PRO features

- Multi-language intuitive keyboard
- 80 character back-lit LCD display
- Large class one gauges – clear and accurate
- Easy to manoeuvre – pneumatic rear tyres and front casters
- Step-by-step operator prompts
- Manual or automatic modes
- 4,000 vehicle database – cars and commercial vehicles
- Smart key update facility
- Built-in printer – for record keeping and upselling
- Large twin fan-cooled condenser for rapid performance
- Powerful, hermetic compressor
- Automatic vacuum leak test facility
- Large two-stage vacuum pump for air and moisture removal
- Automatic refrigerant recovery
- Automatic oil drain
- High capacity refrigerant storage tank
- Recovery auto re-start, if pressure rises, indicating residual refrigerant
- Flush-prepared option
- Maintenance indicators
- Powercharge pump to aid charging

For more information  0345 50 50 900

# Robinair AC790PRO



## technical summary

Part no.	2404-0118
Power supply	220-240v AC, 50Hz
Weight	120kg
Dimensions	128cm x 69cm x 69cm
Vacuum pump	2 stage – 283 litres/min, 10cfm
Refrigerant tank	35kg
Oil storage	2 x 2 litre
High performance dry filter	710cc
Hermetic compressor	1/2hp, 18cc
Hoses	2.5m standard, other lengths available
Working environment	10-50°C
Max. operating pressure	16 bar, 232 psi

## purchasing

Standard Pack	AC790PRO, gloves, goggles
Pro Pack	AC790PRO, gloves, goggles, PAG oil 45,100,150 (250ml), digital thermometer, UV dye kit, Marksman II ultrasonic leak detector
Options	Flushing preparation, Flushing kit and adapters

### Disclaimer

The contents of this publication are correct at time of publication. Autoclimate Limited reserves the right to vary, modify or change any of its products, services or specifications including those described or referred to in this publication at any time without prior notice.

**Autoclimate Ltd**  
Head Office & Development Centre  
37 Atcham Business Park  
Shrewsbury SY4 4UG

**Tel:** 0345 50 50 900  
**Fax:** 0345 50 50 901  
sales@autoclimate.com  
www.autoclimate.com