




Industrial PC Labelling Machine

Create durable labels for electrical or datacom installations, via the easy-to-use built-in labelling functions, PC software or from your smartphone or tablet with the Brother cable labelling app.

- Prints on new **heat shrink** tube cartridges
- Prints 6, 9, 12, 18 and 24mm labels
- Industry standard barcode compatible
- Large backlit graphic display
- Advanced cutter (including half cutter) for easy-to-peel labels
- Includes tape cassette, Li-ion Battery, AC adapter, USB cable, wrist strap and carry case
- Over 300 electrical datacom symbols.





The P-touch E550WVP can also use the new Heat shrink tube tape (HSe) in addition to the durable TZE laminated tapes.

P-touch laminated labels – designed to last

Brother P-touch laminated TZe tapes consist of seven layers of materials, resulting in a thin, extremely strong label. Characters are formed with a thermal transfer ink and sandwiched between two protective layers of PET (polyester film). The result is a virtually indestructible label that can withstand even the harshest conditions.

P-touch E550WVP

The P-touch E550WVP takes compliant electrical labelling to a new level of productivity with seamless wireless connectivity to PCs, laptops, and mobile devices and is an indispensable tool for all electricians and datacom installers. It comes complete with a lithium-ion rechargeable battery and AC adapter, all housed in a durable carry case. Smart technology, QWERTY keyboard, automatic cutter and a large backlit display helps make the PT-E500WVP easy to use to print wider labels for marking cables/fiber/wire, faceplates, patch panels, punch blocks and more. Leave a professional impression by creating high quality labels for your installations.



Prints labels 6 to 24mm in width
Print labels in various widths to suit any space




Automatic label cutter with easy peel
Keeps multiple labels in the correct order



Large backlit graphic LCD
Easily view symbols and preview your label before printing



Specialist label functions
Easily create general, faceplate, cable flag/wrap, patch panel and punch down block labels



Sequential numbering
Print labels containing a sequence of numbers or letters



Database search/merge/print
Upload data from your PC to print labels on-site



384 built-in symbols
Includes common electrical, datacom, AV, security and safety symbols



USB & Wi-Fi
Print from PC or mobile wirelessly



Laminated



Temperature Resistant



Water Resistant



Fade Resistant



Abrasion Resistant



Chemical Resistant



Easy Peel



Strong Adhesion

PT-E550WVP

PT-E550WVP is an industrial labelling machine for the electrical and datacom industry. Fast print speed of 30mm/sec. Prints on durable TZe laminated labels and heat shrink tube tape (HSe). It comes with a flexible ID tape, Li-ion battery, A/C Adapter and a tough carry case. Create professional, durable, laminated labels for cables, faceplates, consumer units and other electrical and datacom installations with its dedicated function keys for easy access.




Heat-shrink tube

Shrinks and grips cable when heat is applied.



Flexible-ID Tape

Use on curved surfaces, sharp bends or cylindrical surfaces.



Strong Adhesive Tape

Use on uneven, rough and textured surfaces.

Technical Specifications

Hardware		PC Software Main Features	
Display Type	16 chrs x 3 lines backlit graphic LCD with print preview	Supported Operating Systems	Windows Vista®, Windows® 7, Windows® 8, Mac OS X 10.6 or greater
Interfaces	USB 2.0, Wi-Fi, Wireless Direct	Cable Labelling Wizard	Yes
Print Speed	30mm / sec (maximum)	Font Faces	All installed true-type fonts
Maximum Tape Width	24mm	Font Styles	12
Maximum Print Height	18mm	Image Import	JPG, BMP, TIFF and other popular types
Cutter Type	Automatic (Full & Half)	Screen capture	Yes
Battery Type	BA-E001 Li-ion rechargeable battery (supplied) 6 x AA alkaline/rechargeable batteries - (not supplied)	Frames	153
		Barcodes	21 protocols including 1D/2D barcodes
Label Creation		Items included in value pack	
Dedicated Labelling Functions	General; Faceplate; Patch panel; Punch block; Cable wrap; Cable flag; Heat shrink tube Serialise (automatic number incrementation)	In the Box	PT-E550WVP labelling machine Li-ion rechargeable battery AC adapter 12mm black on white Flexible ID tape Label design software and printer driver CD-ROM USB cable, wrist strap and user guide Carry case
Fonts	14 fonts; 10 styles; 6-48 point size		
Max. Lines per Label	7 (on 24mm width tape cassette)	Supplies	
Max. text blocks	99	Tape type; Tape widths	TZe tape cassettes; 6, 9, 12, 18, 24mm HSe tube cassettes; 5.8, 8.8, 11.7, 17.7, 23.6mm
Symbols	384	Optional Accessories	
Frames	7	Batteries	BA-E001 Li-ion rechargeable battery AA alkaline/rechargeable batteries (LR6/HR6)
Barcodes	9 protocols (built into device)	AC Adapter	AD-E001 AC adapter
Automatic numbering	1-99	Weight and Dimensions	
Copy Printing	1-99		126mm(w) x 250mm(h) x 94mm(d); 1.05kg
Vertical Text Printing	Yes		
Rotated text printing	Rotate once; Rotate and repeat		
Memory			
Maximum Characters/Label	1500		
Label Memory Locations	99		



www.brother.co.za
<http://solutions.brother.com>

brother
at your side

Brother International South Africa
96 Sovereign Drive, Route 21 Corporate Park, Irene
Tel: +27 (0) 12 - 345 5332 Fax: +27 (0) 12 - 345 3886

All specifications correct at time of printing. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



Working with you for a better environment
www.brotherearth.com



Japanese Excellence
For Over 100 Years