



4

LIFT TABLES



LIFT TABLES - MANUAL

REF 127TA1061

- Load capacity: 150 kg
- Total length: 930 mm
- Platform length: 700 mm
- Platform width: 450 mm
- Lift height: 720 mm
- Handle height: 950 mm
- Total width: 450 mm
- Minimum platform height: 230 mm
- Own weight: 46 kg
- Folding handle
- Foot brake



Climax

REF 127TA2350

- Load capacity: 300 kg
- Total length: 1070 mm
- Platform length: 850 mm
- Platform width: 500 mm
- Lift height: 880 mm
- Handle height: 990 mm
- Total width: 500 mm
- Minimum platform height: 340 mm
- Own weight: 77 kg
- Folding handle
- Foot brake



Climax

Double scissor system

REF 127TA2351

- Load capacity: 350 kg
- Total length: 1050 mm
- Platform length: 910 mm
- Platform width: 500 mm
- Lift height: 1300 mm
- Handle height: 975 mm
- Total width: 500 mm
- Minimum platform height: 350 mm
- Own weight: 105 kg
- Fixed handle
- Foot brake



Climax



LIFT TABLES - MANUAL

REF 127TA1062

- Load capacity: 500 kg
- Total length: 1100 mm
- Platform length: 815 mm
- Platform width: 500 mm
- Lift height: 880 mm
- Handle height: 990 mm
- Total width: 500 mm
- Minimum platform height: 300 mm
- Own weight: 81 kg
- Folding handle
- Foot brake



Climax

REF 127TA2352

- Load capacity: 750 kg
- Total length: 1250 mm
- Platform length: 1000 mm
- Platform width: 510 mm
- Lift height: 990 mm
- Handle height: 990 mm
- Total width: 510 mm
- Minimum platform height: 350 mm
- Own weight: 125 kg
- Folding handle
- Foot brake



Climax

Stainless steel version

REF 147TA5795

- Load capacity: 100 kg
- Total length: 1050 mm
- Platform length: 700 mm
- Platform width: 445 mm
- Lift height: 970 mm
- Handle height: 1220 mm
- Total width: 830 mm
- Minimum platform height: 250 mm
- Own weight: 59 kg
- Folding handle
- Foot brake
- Aisi 304



Climax



LIFT TABLES - MANUAL

Stainless steel version

REF 147TA5793

- Load capacity: 250 kg
- Total length: 1120 mm
- Platform length: 815 mm
- Platform width: 500 mm
- Lift height: 600 mm
- Handle height: 890 mm
- Total width: 1020 mm
- Minimum platform height: 290 mm
- Own weight: 69 kg
- Folding handle
- Foot brake
- Aisi 304



Climax

Stainless steel version

REF 147TA5796

- Load capacity: 350 kg
- Total length: 1150 mm
- Platform length: 915 mm
- Platform width: 500 mm
- Lift height: 940 mm
- Handle height: 1295 mm
- Total width: 1030 mm
- Minimum platform height: 355 mm
- Own weight: 101 kg
- Folding handle
- Foot brake
- Aisi 304



Climax

Stainless steel version

REF 147TA5794

- Load capacity: 450 kg
- Total length: 1130 mm
- Platform length: 815 mm
- Platform width: 500 mm
- Lift height: 600 mm
- Handle height: 890 mm
- Total width: 1000 mm
- Minimum platform height: 290 mm
- Own weight: 81 kg
- Folding handle
- Foot brake
- Aisi 304



Climax



LIFT TABLES - ELECTRICAL

- Total length: 1300 mm
- Platform length: 1300 mm
- Platform width: 800 mm
- Lift height: 820 mm
- Maximum lift height: 1010 mm
- Total width: 800 mm



Climax

Load capacity:	Minimum platform height:	Own weight:	REF
500 kg	190 mm	160 kg	REF 147TA5797
1000 kg	190 mm	220 kg	REF 147TA5788
2000 kg	190 mm	280 kg	REF 147TA5790
3000 kg	220 mm	320 kg	REF 147TA5789

REF [147TA5791](#)

- Load capacity: 1000 kg
- Total length: 1450 mm
- Platform length: 1450 mm
- Platform width: 1140 mm
- Lift height: 678 mm
- Maximum lift height: 760 mm
- Total width: 1140 mm
- Minimum platform height: 82 mm
- Own weight: 250 kg



Climax

REF [147TA5792](#)

- Load capacity: 1000 kg
- Total length: 1450 mm
- Platform length: 1450 mm
- Platform width: 1140 mm
- Lift height: 680 mm
- Maximum lift height: 760 mm
- Total width: 1140 mm
- Minimum platform height: 80 mm
- Own weight: 235 kg



Climax



ACCESSORIES

REF 111TA4073

Colour spray

- Red
- Spray 400 ml

**REF 136TA2957**

Colour spray

- Grey
- Spray 400 ml

